Brain Research, 583 (1992) 357–360
© 1992 Elsevier Science Publishers B.V. All rights reserved 0006-8993/92/$05.00

Author Index

Anderson, G.M., see Chatterjee, D. (583) 31
Anwar, M., see Ruggiero, D.A. (583) 105

Baram, T.Z., see Hirsch, E. (583) 120
Belenky, M., Castel, M., Young III, W.S., Gainer, H. and Cohen, S.
Ultrastructural immunolocalization of rat oxytocin-neurophysin in transgenic mice expressing the rat oxytocin gene (583) 279
Ben-Menachem, E., see Hammond, E.J. (583) 300
Benoliel, J.J., see Bourgoin, S. (583) 344
Beurriand, E., see Bonaz, B. (583) 332
Björklund, A., see Mandel, R.J. (583) 207
Bonaz, B., Martin, L., Beurriand, E., Hostein, J. and Feuerstein, C.
Involvement of hypothalamic noradrenergic systems in the modulation of intestinal motility in rats (583) 332
Bourgoin, S., Pohl, M., Benoliel, J.J., Mauborgne, A., Collin, E., Hamon, M. and Cesselin, F.
γ-Aminobutyric acid, through $GABA_A$ receptors, inhibits the potassium-stimulated release of calcitonin gene-related peptide- but not that of substance P-like material from rat spinal cord slices (583) 344
Boyd, J.D., see Matsubara, J.A. (583) 161
Buzsáki, G., see Leranth, C. (583) 1
Buzzi, M.G., Dimitriadou, V., Theoharides, T.C. and Moskowitz, M.A.
5-Hydroxytryptamine receptor agonists for the abortive treatment of vascular headaches block mast cell, endothelial and platelet activation within the rat dura mater after trigeminal stimulation (583) 137

Calaresu, F.R., see Chitravanshi, V.C. (583) 308
Castel, M., see Belenky, M. (583) 279
Cenci, M.A., see Mandel, R.J. (583) 207
Cesselin, F., see Bourgoin, S. (583) 344
Chader, G., see Del Cerro, M. (583) 12
Chakraborty, M., see Chatterjee, D. (583) 31
Chatterjee, D., Chakraborty, M. and Anderson, G.M.
Differentiation of Neuro-2a neuroblastoma cells by an antibody to GM_3 ganglioside (583) 31
Chitravanshi, V.C. and Calaresu, F.R.
Dopamine microinjected into the nucleus ambiguus elicits vagal bradycardia in spinal rats (583) 308
Clark, K.B., see Ryan, L.J. (583) 253
Cohen, S., see Belenky, M. (583) 279
Coleman, J.K.M., see Harding, J.W. (583) 340
Collin, E., see Bourgoin, S. (583) 344
Cook, V.I., see Harding, J.W. (583) 340
Crook, R.B., Song, M.-K., Tong, L.P., Yabu, J.M., Polansky, J.R. and Lui, G.M.
Stimulation of inositol phosphate formation in cultured human retinal pigment epithelium (583) 23
Czyrak, A., Dooley, D.J., Jones, G.H. and Robbins, T.W.
Social isolation increases the density of $[^{125}I]\omega$-conotoxin GVIA binding sites in the rat frontal cortex and caudate nucleus (583) 189

Del Cerro, C., see Del Cerro, M. (583) 12
Del Cerro, M., Notter, M.F., Seigel, G., Lazar, E., Chader, G. and Del Cerro, C.
Intraretinal xenografts of differentiated human retinoblastoma cells integrate with the host retina (583) 12
Deller, T., see Leranth, C. (583) 1
Derby, C.D., see Olson, K.S. (583) 262
Dimitriadou, V., see Buzzi, M.G. (583) 137
Dobie, D.J., Miller, M.A., Raskind, M.A. and Dorsa, D.M.
Testosterone reverses a senescent decline in extrahypothalamic vasopressin mRNA (583) 247
Dooley, D.J., see Czyrak, A. (583) 189
Dorsa, D.M., see Dobie, D.J. (583) 247
Dorsey, D.A., see Schmidt, R.E. (583) 320

Ekman, R., see Hammond, E.J. (583) 300

Feuerstein, C., see Bonaz, B. (583) 332
Flavin, M.P., Yang, Y. and Riopelle, R.J.
The effect of hypoxia on neurotransmitter phenotype of forebrain cholinergic neurons (583) 201
Fuentes, M., Sahu, A. and Kalra, S.P.
Evidence that long-term estrogen treatment disrupts opioid involvement in the induction of pituitary LH surge (583) 183
Fujiwara, M., see Okada, M. (583) 227
Funk, D. and Stewart, J.
The effects of lesions of the habenular nuclei on the development of sensitization to the behavioral activational effects of repeatedly administered morphine in the rat (583) 127

Gainer, H., see Belenky, M. (583) 279
Gootman, P.M., see Ruggiero, D.A. (583) 105
Goyal, R., Rasey, S.K. and Wall, J.T.
Current hypotheses of structural pattern formation in the somatosensory system and their potential relevance to humans (583) 316

Hall, K.L., see Harding, J.W. (583) 340
Hamberger, A., see Hammond, E.J. (583) 300
Hammond, E.J., Uthman, B.M., Wilder, B.J., Ben-Menachem, E., Hamberger, A., Hedner, T. and Ekman, R.
Neurochemical effects of vagus nerve stimulation in humans (583) 300
Hamon, M., see Bourgoin, S. (583) 344
Han, J.-S., see Ma, Q.-P. (583) 292
Hanesworth, J.M., see Harding, J.W. (583) 340
Harding, E.C., see Harding, J.W. (583) 340
Harding, J.W., Cook, V.I., Miller-Wing, A.V., Hanesworth, J.M., Sardinia, M.F., Hall, K.L., Stobb, J.W., Swanson, G.N., Coleman, J.K.M., Wright, J.W. and Harding, E.C.
Identification of an AII(3–8) [AIV] binding site in guinea pig hippocampus (583) 340
Hashimoto, K., see Ogasa, T. (583) 45
Hedner, T., see Hammond, E.J. (583) 300
Hirai, K.-I., see Wang, G.-Y. (583) 216
Hirsch, E., Baram, T.Z. and Snead III, O.C.
Ontogenic study of lithium–pilocarpine-induced status epilepticus in rats (583) 120
Hostein, J., see Bonaz, B. (583) 332
Hughes, C.M. and Peters, A.
Symmetric synapses formed by callosal afferents in rat visual cortex (583) 271

Ishimoto, H., see Nakahata, N. (583) 100
Iwasaki, K., see Okada, M. (583) 227

Johnston, M.V., see McDonald, J.W. (583) 54
Jones, G.H., see Czyrak, A. (583) 189

Kageyama, J., see Ogasa, T. (583) 45
Kalra, S.P., see Fuentes, M. (583) 183
Kemm, R.E., see Kunze, W.A.A. (583) 327
Kita, H., see Nakanishi, H. (583) 287
Kunze, W.A.A., Shafton, A.D., Kemm, R.E. and McKenzie, J.S.
Olfactory bulb output neurons excited from a basal forebrain magnocellular nucleus (583) 327
Kurita, M., see Nakahata, N. (583) 100

Lazar, E., see Del Cerro, M. (583) 12
Lennartz, R.C. and Weinberger, N.M.
Frequency selectivity is related to temporal processing in parallel thalamocortical auditory pathways (583) 81
Lepinski, D.L., see Pellmar, T.C. (583) 194
Leranth, C., Deller, T. and Buzsáki, G.
Intraseptal connections redefined: lack of a lateral septum to medial septum path (583) 1
Lui, G.M., see Crook, R.B. (583) 23

Ma, Q.-P., Shi, Y.-S. and Han, J.-S.
Further studies on interactions between periaqueductal gray, nucleus accumbens and habenula in antinociception (583) 292
Mandel, R.J., Wictorin, K., Cenci, M.A. and Björklund, A.
Fos expression in intrastriatal striatal grafts: regulation by host dopaminergic afferents (583) 207
Martin, L., see Bonaz, B. (583) 332
Martinez, M.
Abnormal profiles of polyunsaturated fatty acids in the brain, liver, kidney and retina of patients with peroxisomal disorders (583) 171
Marunouchi, T., see Sawada, M. (583) 296
Matsubara, J.A. and Boyd, J.D.
Presence of GABA-immunoreactive neurons within intracortical patches in area 18 of the cat (583) 161
Matsuo, R. and Yamamoto, T.
Effects of inorganic constituents of saliva on taste responses of the rat chorda tympani nerve (583) 71
Mauborgne, A., see Bourgoin, S. (583) 344
McDonald, J.W., Trescher, W.H. and Johnston, M.V.
Susceptibility of brain to AMPA induced excitotoxicity transiently peaks during early postnatal development (583) 54
McKenzie, J.S., see Kunze, W.A.A. (583) 327
Miller, M.A., see Dobie, D.J. (583) 247
Miller-Wing, A.V., see Harding, J.W. (583) 340
Mine, K., see Okada, M. (583) 227
Mooradian, A.D. and Scarpace, P.J.
β-Adrenergic receptor activity of cerebral microvessels in experimental diabetes mellitus (583) 155
Moskowitz, M.A., see Buzzi, M.G. (583) 137

Nakahata, N., Ishimoto, H., Kurita, M., Ohmori, K., Takahashi, A. and Nakanishi, H.
The presence of thromboxane A_2 receptors in cultured astrocytes from rabbit brain (583) 100
Nakanishi, H., Yamamoto, K. and Kita, H.
Lateral hypothalamus and local stimulation induced postsynaptic responses in zona incerta neurons in an in vitro slice preparation of the rat (583) 287
Nakanishi, H., see Nakahata, N. (583) 100
Notter, M.F., see Del Cerro, M. (583) 12
Núñez-Abades, P.A., see Portillo, F. (583) 349

Ogasa, T., Hashimoto, K., Suemaru, S., Kageyama, J. and Ota, Z.
The magnocellular arginine-vasopressin mRNA responds differently to food deprivation between the supraoptic and paraventricular nuclei of the hypothalamus in adrenalectomized rats with low corticosterone replacement (583) 45
Ohmori, K., see Nakahata, N. (583) 100
Okada, M., Urae, A., Iwasaki, K., Mine, K. and Fujiwara, M.
Effects of the *N*-methyl-D-aspartate antagonists on the rise in $[Ca^{2+}]_i$ following depolarization in aged rat brain synaptosomes (583) 227
Olson, K.S., Trapido-Rosenthal, H.G. and Derby, C.D.
Biochemical characterization of independent olfactory receptor sites for 5′-AMP and taurine in the spiny lobster (583) 262
Ordway, G.A., see Tejani-Butt, S.M. (583) 312
Ota, Z., see Ogasa, T. (583) 45
Oyama, Y.
Modification of voltage-dependent Na^+ current by triphenyltin, an environmental pollutant, in isolated mammalian brain neurons (583) 93

Pellmar, T.C., Roney, D. and Lepinski, D.L.
Role of glutathione in repair of free radical damage in hippocampus in vitro (583) 194
Peters, A., see Hughes, C.M. (583) 271
Pinnock, R.D.
Activation of κ-opioid receptors depresses electrically evoked excitatory postsynaptic potentials on 5-HT-sensitive neurones in the rat dorsal raphé nucleus in vitro (583) 237
Pohl, M., see Bourgoin, S. (583) 344
Polansky, J.R., see Crook, R.B. (583) 23
Portillo, F. and Núñez-Abades, P.A.
Distribution of bulbospinal neurons supplying bilateral innervation to the phrenic nucleus in the rat (583) 349

Rasey, S.K., see Goyal, R. (583) 316
Raskind, M.A., see Dobie, D.J. (583) 247
Riopelle, R.J., see Flavin, M.P. (583) 201
Robbins, T.W., see Czyrak, A. (583) 189
Roney, D., see Pellmar, T.C. (583) 194
Roth, K.A., see Schmidt, R.E. (583) 320
Ruggiero, D.A., Anwar, M. and Gootman, P.M.
Presumptive adrenergic neurons containing phenylethanolamine *N*-methyltransferase immunoreactivity in the medulla oblongata of neonatal swine (583) 105
Ryan, L.J., Sanders, D.J. and Clark, K.B.
Auto- and cross-correlation analysis of subthalamic nucleus neuronal activity in neostriatal- and globus pallidal-lesioned rats (583) 253

Sahu, A., see Fuentes, M. (583) 183
Sanders, D.J., see Ryan, L.J. (583) 253
Sardinia, M.F., see Harding, J.W. (583) 340
Sawada, M., Suzumura, A. and Marunouchi, T.
TNFα induces IL-6 production by astrocytes but not by microglia (583) 296
Scarpace, P.J., see Mooradian, A.D. (583) 155
Schmidt, R.E., Dorsey, D.A. and Roth, K.A.
Immunohistochemical characterization of NPY and substance P containing nerve terminals in aged and diabetic human sympathetic ganglia (583) 320
Seigel, G., see Del Cerro, M. (583) 12
Shafton, A.D., see Kunze, W.A.A. (583) 327
Shi, Y.-S., see Ma, Q.-P. (583) 292
Shimada, H., see Wang, G.-Y. (583) 216
Snead III, O.C., see Hirsch, E. (583) 120
Song, M.-K., see Crook, R.B. (583) 23
Stewart, J., see Funk, D. (583) 127
Stobb, J.W., see Harding, J.W. (583) 340
Suemaru, S., see Ogasa, T. (583) 45
Suzuki, Y., see Taguchi, K. (583) 150
Suzumura, A., see Sawada, M. (583) 296
Swanson, G.N., see Harding, J.W. (583) 340

Taguchi, K. and Suzuki, Y.
The response of the 5-hydroxyindole oxidation current to noxious stimuli in the spinal cord of anesthetized rats: modification by morphine (583) 150
Taji, S., see Wang, G.-Y. (583) 216
Takahashi, A., see Nakahata, N. (583) 100
Tejani-Butt, S.M. and Ordway, G.A.
Effect of age on [^{3}H]nisoxetine binding to uptake sites for norepinephrine in the locus coeruleus of humans (583) 312
Theoharides, T.C., see Buzzi, M.G. (583) 137
Tong, L.P., see Crook, R.B. (583) 23
Trapido-Rosenthal, H.G., see Olson, K.S. (583) 262
Trescher, W.H., see McDonald, J.W. (583) 54

Urae, A., see Okada, M. (583) 227
Uthman, B.M., see Hammond, E.J. (583) 300

Wall, J.T., see Goyal, R. (583) 316
Wang, G.-Y., Hirai, K.-I., Shimada, H., Taji, S. and Zhong, S.-Z.
Behavior of axons, Schwann cells and perineurial cells in nerve regeneration within transplanted nerve grafts: effects of anti-laminin and anti-fibronectin antisera (583) 216
Watt, C.B.
A double-label study demonstrating that all serotonin-like immunoreactive amacrine cells in the larval tiger salamander retina express GABA-like immunoreactivity (583) 336
Weinberger, N.M., see Lennartz, R.C. (583) 81
Wictorin, K., see Mandel, R.J. (583) 207
Wilder, B.J., see Hammond, E.J. (583) 300
Wright, J.W., see Harding, J.W. (583) 340

Yabu, J.M., see Crook, R.B. (583) 23
Yamamoto, K., see Nakanishi, H. (583) 287
Yamamoto, T., see Matsuo, R. (583) 71
Yang, Y., see Flavin, M.P. (583) 201
Young III, W.S., see Belenky, M. (583) 279

Zatz, M.
Agents that affect calcium influx can change cyclic nucleotide levels in cultured chick pineal cells (583) 304
Zhong, S.-Z., see Wang, G.-Y. (583) 216